

Work Order ID 151029***151029***

Page 1

Monday, September 12, 2016 10:20:15 AM

Item ID: D5311-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Engine Cowl Swivel Prop Rod Assembly
Start Date: 9/13/2016 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 9/13/2016 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: DAS Date: SEP 13 2016 Tooling: _____ Date: _____ Run Start ***NR1***
QC: 21 Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***
9-89

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D5311	B

110 Weld per dwg A/R S.S. rod Batch: 4134443 0.00

110

Large Fab

Memo 0.00

Large Fab

1- WELD SWIVEL JOINTS TO PROP ROD AS PER
DWG
DO NOT GRIND WELDS

2- INSTALL TWO DOWEL PINS AS PER DWG AND WELD

3- REMOVE WELDING MARKS AS PER NOTE 10

120

QC8 Inspect parts - second check 0.00***120***

QC

Memo 0.00

Quality Control

12 12/17/14UD 17-01-05 DAS
9
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified	☐	Past Due	☐				

Work Order ID 151029


Monday, September 12, 2016 10:20:15 AM

151029

Page 2

Item ID: D5311-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Engine Cowl Swivel Prop Rod Assembly
Start Date: 9/13/2016 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 9/13/2016 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* QC Quality Control	QC5- Inspect part completeness to step on W/O  Memo	0.00 0.00							
140 *140* Small Fab Small Fab	Memo INSTALL HEATSHRINK AS PER DWG INSTALL HARDWARE AS PER DWG	0.00 0.00				12	FF	JAN 06 2017	
150 *150* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00							 DAS 38 9-89 JAN 09 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER :			
Misidentified ☐	☐	Past Due	☐				

Work Order ID 151029

Monday, September 12, 2016 10:20:15 AM

151029

Page 3

Item ID: D5311-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Engine Cowl Swivel Prop Rod Assembly
Start Date: 9/13/2016 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 9/13/2016 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: <u>8359</u>	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.00							
Quality Control									

12 DAS 6 9-89 JAN 11 2017

JAN 13 2017

DAS 21 9-89 JAN 11 2017

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified	☐	Past Due	☐				

Picklist Print

Monday, September 12, 2016 10:20:14 AM

Page 1

Work Order ID: 151029

151029

Parent Item: D5311-041

D5311-041

Parent Item Name: Engine Cowl Swivel Prop Rod Assembly

Start Date: 9/13/2016

Required Date: 9/13/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IIN REV:A 16.02.10 NEW ISSUE DD VERF:JLM IIN
REV:B 16.04.20 ASPER REV.A DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3158-030		Manufactured	No				Each	28.0000		12			
-----------	--	--------------	----	--	--	--	------	---------	--	----	--	--	--

D3158-030

Heat Shrink

**

FF JAN 06 2017

Location

Loc Qty

Loc Code

ST019

28

B155045

141737

1

NOT Pulled

147541

5

150544

22

D3622-15		Manufactured	No				Each	23.0000		12			
----------	--	--------------	----	--	--	--	------	---------	--	----	--	--	--

D3622-15

Ball Stud

**

FF JAN 06 2017

Location

Loc Qty

Loc Code

ST046

23

146225

12

146911

11

D5311-1		Manufactured	No				Each	28.0000		12			
---------	--	--------------	----	--	--	--	------	---------	--	----	--	--	--

D5311-1

Swivel Joint, Inner

**

Q 1/7-1-3

Location

Loc Qty

Loc Code

WA001

14

148035

2

150545

12

WA002

14

141731

2

147699

12

151800712

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : _____			

Picklist Print

Monday, September 12, 2016 10:20:14 AM

Page 2

Work Order ID: 151029

151029

Parent Item: D5311-041

D5311-041

Parent Item Name: Engine Cowl Swivel Prop Rod Assembly

Start Date: 9/13/2016

Required Date: 9/13/2016

Start Qty: 12.00

Required Qty: 12.00

D5311-3

Manufactured No

Each

31.0000

12

D5311-3

Swivel Joint, Outer

**

Q 17-1-3

Location

Loc Qty

Loc Code

WA002

31

148036

5

150546

26

D5311-5

Manufactured No

Each

27.0000

12

D5311-5

Prop Rod

**

Q 18-1-3

Location

Loc Qty

Loc Code

WA001

24

147971

9

150547

15

WA002

3

146913

3

D5311-7

Manufactured No

Each

6.0000

12

D5311-7

Prop Rod

**

Q 17-1-3

Location

Loc Qty

Loc Code

WA001

6

147894

6

D5317-1

Manufactured No

Each

72.0000

24

D5317-1

Dowel Pin

**

Q 17-1-3

Location

Loc Qty

Loc Code

WA001

72

146231

22

150549

50

150863 x 24

Monday, September 12, 2016 10:20:14 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : _____			

Picklist Print

Monday, September 12, 2016 10:20:14 AM

Page 3

Work Order ID: 151029

151029

Parent Item: D5311-041

D5311-041

Parent Item Name: Engine Cowl Swivel Prop Rod Assembly

Start Date: 9/13/2016

Required Date: 9/13/2016

Start Qty: 12.00

Required Qty: 12.00

LN9016-06K

Purchased

No

Each

33.0000

12

I N9016-06K

FF

JAN 06 2017

Washer

Location

Loc Qty

Loc Code

ST563

33

12

m134727

33

LN9161-06M

Purchased

No

Each

32.0000

12

I N9161-06M

FF

JAN 06 2017

Nut

Location

Loc Qty

Loc Code

ST564

32

4

m134727

32

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : _____			

ITEM	QTY	P/N	DESCRIPTION
	X	D5311-041	ENGINE COWL SWIVEL PROP ROD ASSEMBLY
1	1	D3158-030	HEAT SHRINK TUBING
2	1	D3622-15	BALL STUD
3	1	D5311-1	SWIVEL JOINT
4	1	D5311-3	SWIVEL JOINT
5	1	D5311-5	PROP ROD
6	1	D5311-7	PROP ROD
7	2	D5317-1	DOWEL PIN
8	1	LN9016-06K	WASHER (ALT: LN9016-06L, 23111AG050LE)
9	1	LN9161-06M	NUT (ALT: ASN52320BH050N)



DETAIL A



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 157029 MJS
160913

D5311-041 ENGINE COWL SWIVEL PROP ROD


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.91 lbs
- 8) WELD PER QSI 004
- 9) ENSURE ROD SWIVELS EASILY AFTER WELDING
- 10) REMOVE WELDING MARKS USING ELECTROPOLISHER
- 11) INSTALL APPROXIMATELY AS SHOWN

RELEASED
2016-04-18
EN 16-57

APPROVED

B	REVISED D5311-3 DIMENSIONS. ADDED D3622-15 BALL STUD, LN9161-06M NUT AND LN9016-06K WASHER. ADDED D5311-7 PROP ROD (SHEET 5).	AK	16.02.17
A	NEW ISSUE	AK	15.09.28
REV.	DESCRIPTION	BY	DATE
DESIGN	AK	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D5311 TITLE ENGINE COWL SWIVEL PROP ROD SHEET 1 OF 5 SCALE NTS COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DRAWN	AK		
CHECKED	CC		
MFG. APPR.	DD		
APPROVED	HS		
DE APPR.	DS		
DATE	16.02.17		



D5311-1 SWIVEL JOINT, INNER



NOTES:

- 1) MATERIAL: AISI 304/316 SS ROUND BAR
PER ASTM A276
REF DART SPEC M304R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.10 lbs



RELEASED
2016-04-18

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 2 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SECTION A-A




- NOTES:**
- 1) MATERIAL: AISI 304/316 SS ROUND BAR
PER ASTM A276
REF DART SPEC M304R
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.11 lbs

D5311-3 SWIVEL JOINT, OUTER

RELEASED
2016-04-18

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 3 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2015 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			



D5311-5 PROP ROD


NOTES:

- 1) MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING
PER ASTM A276 OR ASME SA213 OR ASTM A269
REF DART SPEC M304TR0.750W.049
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs
- 8) PUNCH END USING TOOL NUMBER DT8117

RELEASED
2016-04-18

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 4 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2016 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D5311-7 PROP ROD

NOTES:

- 1) MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING
PER ASTM A276 OR ASME SA213 OR ASTM A269
REF DART SPEC M304TR0.750W.049
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs
- 8) PUNCH END USING TOOL NUMBER DT8117. TRIM, DRILL NEW HOLE AND FORM CORNERS AS REQUIRED

RELEASED
2016-04-18

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CC	DRAWING NO.	REV. B
MFG. APPR.	DD	D5311	SHEET 5 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	ENGINE COWL SWIVEL PROP ROD NTS	
DATE	16.02.17	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	